

Sanitary Freeze-Resistant Endura II™ Tubular Pedestal

MODEL 4410 Sanitary FR



This fountain is certified to NSF/ANSI 61.

GENERAL

Pedestal, Endura II™ Steel fountain with textured powder coat finish and E-Coat immersion for year-round beauty with minimum maintenance. The E-Coat immersion process coats the outside and inside of the fountain for the ultimate in corrosion protection. Contourformed stainless steel basin with rounded corners and edges reduces splatter, insures proper drainage and prevents standing waste water. Designed to be easily accessible to both physically challenged and able-bodied individuals. Ideally suited for installation in public areas. Model meets state and federal requirements as defined by the Americans with Disabilities Act.

SANITARY FREEZE-RESISTANT VALVE SYSTEM

Fully sealed assembly minimizes chance of ground water contamination, and prevents drain water from mixing with fresh water. Freeze-resistant valve designed for ground installation 18" below the frost line.

BUBBLER

Vandal-resistant bubbler is one-piece, chrome-plated, with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.

PUSHBUTTON ACTUATION MECHANISM

Self closing, vandal-resistant pushbutton does not require grasping or twisting.

AUTOMATIC STREAM HEIGHT REGULATOR

Stream height regulator is located inside sanitary freeze-resistant valve system to prevent tampering. Unit resists corrosion and liming. A constant stream height is automatically maintained under line pressures that vary from 20 to 105 psi.

WATER INLET

1/2" male NPT fitting.

DRAIN OUTLET

Drain requirements are detailed in the owner's manual.

ACCESS PANEL

Manufactured of heavy-gauge steel with vandalresistant screws. Provides access for easy hook-up of all plumbing connections.

SUGGESTED SPECIFICATIONS

Fountain shall include pushbutton on the front. Shall include contour-formed basin to eliminate splashing and standing water, and shall have rounded corners and edges. Projector shall be chrome-plated vandal-resistant type with integral hood guard and anti-squirt feature. Fountain shall comply with ANSI 117:1 and ADA for visual and motion disabilities. The manufacturer shall certify the unit to meet the requirements of NSF/ANSI 61, and the Safe Drinking Water Act.

NOTE: Continued product improvement makes specifications subject to change without notice. See Halsey Taylor website for most current spec sheet.



Standard Finish is Evergreen textured powder-coat Endura II™

Each 4410 Sanitary FR consists of 2 cartons of the following:

Fountair

Sanitary Freeze-Resistant Valve System

Service stop not included.

Shipping weight: 181 lbs.

JOB NAME:
ENGINEER/CONTRACTOR NAME:
APPROVAL:
DATE:





4410 Sanitary FR **Sanitary Freeze-Resistant** Barrier-Free Endura II™ Tubular **Pedestal Fountain**

(CONTINUED)

MOUNTING INSTRUCTIONS and PLUMBING CONNECTIONS

Site and drainage excavation is required for fountain installation. Refer to owner's manual for site preparation details. Provide solid, well-drained surface to mount pedestal fountain (concrete pad recommended). (6) 1/2" anchor bolts (not furnished) should be attached firmly to mounting surface in order to secure fountain. Refer to rough-in diagram and be sure to allow an opening for the freeze-resistant valve in the ground as shown in the installation instructions that accompany the fountain. Refer to local codes for any additional requirements.

NOTE: Fountain is not furnished with service valve. Assemble fountain to prepared site and mounting pad.

and connect supply and water lines. Turn on water supply and check for leaks. Refer to

> ALL PVC PIPE CASINGS SUPPLIED BY INSTALLERS. SEE OWNERS MANUAL FOR COMPLETE DETAILS.

LEGEND

A = ACCESS PANEL

B = REMOVABLE BOTTOM COVER

Halsey Taylor

(0) A· Position pedestal over plumbing and secure base to anchor bolts. Remove access panels 35-3/16" 19" SEE DETAIL A 894mm 483mm 33-5/16" 30" owner's manual for detailed instructions. 847_{mm} В 762mm **OPERATING PRESSURES:** 27 Supply water - 105 psi maximum 686mm 8" 203mm **DETAIL A: AIR GAP / VACUUM BREAKER** 4" 102mm шш Ĭ

(6) 1/2" (13mm) DIA. HOLES-**ÈQUALLY SPACED ON A**

12" (305mm) BOLT CENTER

ø 10"

254mm

ø 14"

356mm

SIDE VIEW

29"

737mm

TOP VIEW

 \odot

2-7/8"

73mm

DRAIN LINE BY INSTALLER

(AS REQUIRED BY LOCAL CODES)

WATER INLET LINE

(BY INSTALLER)

VALVE WATER LINE SUPPLIED WITH A 1/4 x 1/2 NPT CONNECTOR