Brita® Hydration Station™

SURFACE MOUNT

MODEL 2000SM

FEATURES & BENEFITS

SENSOR OPERATED

Electric sensor allows for touch-free hygienic operation, eliminating the need for manual activation.

ANTIMICROBIALLY PROTECTED

Specific components are antimicrobially protected using the natural protection of silver which helps protect against the growth of mold and mildew on those treated components.

QUALITY CONTROL

The Brita $^{\otimes}$ Hydration StationTM is pre-built and fully water and pressure tested to ensure no leaks and proper function for reduced installation time and added peace of mind.

FINISH

#4 satin stainless enclosure can be easily cleaned and maintained while also resisting corrosion.

AUTO PURGE

Auto purge may be activated if a waste is hard-plumbed. When activated it will automatically cycle once every 24 hours to assure a fresh water supply as well as assuring trap integrity.

SERVICING

Durable ABS plastic front panel allows simple access to internal components. Hidden lock and hinges to discourage vandals.

OPTIONS

- □ Filter: Brita ® Model 6424 is the replacement filter for the Brita ® Hydration Station™.
- ☐ Chiller: Model HCR8, chiller provides for instantaneous cooling to meet a continuous demand for chilled water.
- ☐ Drain kit: Model 6470 to hard plumb unit to waste line.

SPECIFICATIONS

Model 2000SM Brita® Hydration Station™ is a wall-mounted bottle or cup filling station constructed of durable ABS plastic and 16 gauge, Type 304 Stainless Steel with a satin finish. It features an electric sensor allowing for touch-free hygienic operation and a 30-second timeout preventing unwanted use, laminar flow to prevent splashing, .5 gpm flow rate for quick fill-up, and antimicrobially treated components to prevent the growth of mold and mildew on those treated surfaces. 2400 gallon carbon block filter reduces chlorine (taste and odor) and lead, and removes cysts. Hidden lock and hinges on ABS plastic front panel allows access to internal components. The mounting consists of heavy gauge galvanized steel mounting bracket and hardware. 110 volt, 60Hz, and .1 amp draw when in use. A removable water catch basin is provided; this may be converted to a hard-plumbed drain with a retrofit kit.



APPLICATIONS

The surface mount Brita® Hydration Station™ is perfect for mounting on block or solid walls which cannot be cut into and where a recessed mount Brita® Hydration Station™ is not an option. The surface mount unit does not require a drain trap and has an integrated drain pan. Therefore, it can be mounted in any location where there is reasonable access to a water line. Specifically, this unit ideal for settings such as: office buildings, schools, airports and more.

Model 2000SM meets the Americans with Disabilities Act for wheelchair access when mounted at the correct height. Haws manufactures drinking fountains, electric water coolers and electric drinking fountains to be lead-free by all known definitions including NSF/ANSI Standard 61, Section 9, NSF/ANSI Standards 42 & 53, CSA Standard B483.1. California Proposition 65 and the Federal Safe Drinking Water Act. Product is compliant to California Lead Plumbing Law (AB 1953). Model 2000SM is Certified to the Standards for Safety Electric Plumbing Accessories (ANSI/UL 1951) and Industrial Control Equipment (CSA C22.2 No. 14).





